



Send original copy by certified mail to the Texas Department of Water Resources P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Austin, Texas 78711 RIG # 38	WATER WELL REPORT						Received: 79 84C			
1) OWNER TERRA Resources Inc. Ac (Name) 2) LOCATION OF WELL:	ddress 5017	e 30	Bui	Medenco Bldg. House	STAN TEX	/ <i>85 77(</i>				
County Walker, 15	_miles in(<u></u> N.E.,	<u>) ୧</u> s.w	direction from C.	RABS PR	PaiRie				
Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.	gal description Section No Abstract No Distance and	on:	tion 1	Block NoTown Survey Name from two intersecting section or sur H. Map M 60-2'	nship					
3) TYPE OF WORK (Check): New Well Deepening Domestic Industrial Plugging Irrigation Test Well	: □ Public Sur	ply		5) DRILLING METHOD (Chec Driving Chec Driving Chec Driving Chec	:k): er □ Driven (
	o (ft.)		Ope	REHOLE COMPLETION: en Hole Straight Wall vel Packed □ Other gravel Packed give interval from	•	Underreamed	ft.			
From To Description and color of formation (ft.) (ft.) material	on	8)		SING, BLANK PIPE, AND WELL S						
0-22 BROWN CLAY	Dia	a. ,	lew	Steel, Plastic, etc. Perf., Slotted, etc.	Sett	ing (ft.)	Gage			
22-180 BLUE CLAY	(in	'' u	sed	Screen Mgf., if commercial	From	То	Casing Screer			
180-182 SAND		1/	N	PLASTIC	+3	385				
182-217 BLUE CLAY		1/2		PLASTIC	385	1425				
217-223 SAND			\dashv							
223-235 BLUE CLAY		_	_	B1 01/A		<u> </u>	_			
2.35-244 SAND		-	\dashv			1	_			
244-308 BLUE CLAY						1				
308-3/4 SAND				CEMENTING D	DATA					
5/4-320 BLUE CLAY				ed fromft						
320 - 324 SAND				used						
324-352 BLUE CLAY		Cen	nente	ed by(Company o	or Individual)		-			
352 - 384 SAND										
384-404 SANDY CLAY				ER LEVEL:						
404 - 425 SAN)	c levelft. below land so sian flowgpm.									
,		10) PACKERS: Type D				Depth				
						365				
.VII			<u>4 N</u>	το, ε	, , , , ,					
201							· · · · ·			
		11)	TYP	E PUMP:						
			Turb		ersible	☐ Cylinder				
(Use reverse side if necessary)				er						
13) WATER QUALITY:		De	pth 1	to pump bowls, cylinder, jet, etc.,	240	ft.				
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☐ No	e	12) \		L TESTS:						
If yes, submit "REPORT OF UNDESIRABLE WATER"			☐ Type Test: ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated							
Type of water? <u>C60</u> Depth of strata <u>5_3</u> Was a chemical analysis made? □ Yes 🖭 No		`	∕ield	d: gpm with						
I hereby certify that this well wa each and all of the statements here	is drilled by r ein are true t	ne (o o the	r und best	der my supervision) and that of my knowledge and belief.						
NAME E.A. HOLLY CO (Type or Print) Wat	ter Well Drill	ers R	egist	ration No. 80/						
	(City)			TEXAS	77367					
ADDRESS P.O. Box 37 RIVERSIDE (Street or RFD) (Signed) / AWA (BWALAND) (Water Well, Driller)	- (City)		<u>E.</u>	A HOLL (State) (Company Name	(Zir	o) 				
Please attach electric log chemical analysis and other pertinent informati	ion, if availat	ole.		тоотпрану глате	G)					





2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.


When giving a legal description include a sketch showing location of the well within the described area, e.g. survey abstract.

Information furnished in Section 2 of the TDWR-0392 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED

BEBERYE D

DEPT. OF WATER RESCURCES



Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER <u>Melvin Jackso</u>	<u>n</u>	Address	904	Thon	as St.	#36 Huntsvil	le, TX	77340			
2) LOCATION OF WELL:						•	,	ate) (Zi	p)		
County MXXX Walke	<u>r</u> ,1	6 miles in _	1	WW		direction from Hunt	sville				
			(N.E	., S.W.,	etc.)		(Town)			
5		☐ Legal desc					·-··	*****			
Driller must complete the legal description with distance and direction from two	intersecting sec-					ock No Tow					
tion or survey lines, or he must locate well on an official Quarter- or Half-Sc	ale Texas County					Survey Name					
General Highway Map and attach the	map to this form.	Distance	and o	direction	n from two	o intersecting section or su	rvey lines				
		See attach	ed ma	ap.	on 6	0-19-2					
3) TYPE OF WORK (Check):	4) PROPOSED USE (Check					5) DRILLING METHO	D (Check):		riven		
Ñ New Well ☐ Deepening	☑ Domestic ☐ Industrial	tic 🗆 Industrial 🗆 Monitor 🗆 Pr				•					
☐ Reconditioning ☐ Plugging	☐ Irrigation ☐ Test Well	☐ Injection [Othe								
6) WELL LOG:	DIAMETER OF H		7) BOREHOLE COMPLETION:								
Date Drilling:	Dia. (in.) From (ft.)	To (ft.)	☐ Open Hole ☐ Straight Wall ☐ Underreamed								
Started 4-21 19 88		183	4	⊠ Grav	el Packed	Other					
Completed 4–22 19 88		· ·	-	If Gr	avel Packe	d give interval from _	183 _{ft} .	to 165	ft.		
From To	Description and color of fo	rmation									
(ft.) (ft.)	material		8)	CASIN	G, BLANK	K PIPE, AND WELL SCRE	EN DATA:		, .		
0-4 top soil			Dia.	New or		, Plastic, etc. , Slotted, etc.	Setting	j (ft.)	Gage		
4-15 sand streaks			(in.)	Used		en Mgf., if commercial	From	То	- Casing Screen		
15-18 blue clay 18-24 rock			4	N	PVC		-1.5	165	40		
			<u> </u>						ļ		
24-40 blue clay 40-44 sand		 	2	N	PVC_s	lotted	183	168	#14		
44-133 blue clay			-		·	70.71			+ -		
133-144 sand 9) CEMENTING DATA [Rule 319.44(b)]											
144-155 blue clay] "	Cement	ed from _	165 ft. to 65 ft.	t. No. of Sac	cks Used 6			
155-183 sand											
			-			Pressure					
			ļ	Cemen	ted by	Henry Lee					
			10)	SURF	ACE COM	PLETION					
				_		ace Slab Installed [Rule 3	19.44(c)]				
			1	🛚 Pitle	ess Adapte	r Used [Rule 319.44(d)]					
			1	☐ App	roved Alte	ernative Procedure Used [f	Rule 319.71]				
			11)	WATE	R LEVEL:			7.1			
		E I W E	F	$\int_{\mathbb{R}^{n}}$		60		4 22	0.0		
				Static level 60ft. below land surface Date 4-22-88 Artesian flowgpm. Date							
	MAY	27 1988		<u> </u>			Date				
	IVINI	# 1300	12)	PACK		Type		epth			
			-	K	ubber	L X R		163			
	TEXAS WAT	ER COMMIS	SIQ	TYPE	PUMP:						
			1 _	⊐ Turbi		☐ Jet	ble □	Cylinder			
			1 _	Other			J.0				
(Use reverse s	side if necessary)		ξ	Depth to	pump bo	wls, cylinder, jet, etc.,	120	ft.			
15) WATER QUALITY:			<u> </u>								
Did you knowingly penetrate any water? ☐ Yes ☑ No	strata which contained und	esirable	14)	WELL	TESTS:						
If yes, submit "REPORT OF UNI		F 4 -				☐ Pump ☐ Bailer		Estimate			
Type of water? <u>good</u> Was a chemical analysis made?	Depth of strata <u>24 </u>	L •		Yield	25_	gpm withft	. drawdown aft	er hr	s.		
I have by consify that this wa			L								
I here by certify that this we knowledge and belief. I und	erstand that failure to comp	er my supervision lete items 1 thr	u 12 v	d that e vill resu	acn and al It in the lo	of the statements hereing(s) being returned for co	are true to the mpletion and re	best of my submittal.			
COMPANY NAME HOLLY WAY	TER WELLS	Water W	'ell Dr	iller's L	icense No.	2026					
(07 ** 10	Huntsville,	Tx 773	40								
ADDRESS 607 Hwy 19		(Cit				(State)	(Zi	p)			
(Signed) (Signed)											
(Licensed)	Water Well Driller)	•			Registered	Driller Trainee) Fo	or TWC use on	ly ,			
Please attach electric log, chemical ana	lysis, and other pertinent inf	formation, if av	ailable). 		We Lo	ell No. <u>60</u> ocated on map	<u>-10-5</u>			
1404D 0404D 04 00 00											

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING PRIVILEGE OF CONFIDENTIALITY

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.